



SANCTUARY FORSHORE PARK LANDSCAPE OPPORTUNITIES

20 AUG 2020

PREPARED BY



PREPARED FOR



ARCHITECTS



UNDERSTANDING PARK CONTEXT



MASTERPLAN



HISTORY OF FUNCTIONAL REQUIREMENTS/BRIEF

ROBERTS DAY PLACE MAKING STRATEGY

- PUPPY PARK
- JETTY WHARF CAFE & KAYAK SHED
- BBQ, SHELTER & SEATING
- CENTRAL FORESHORE PARK
- RIVER ROOM
- SHARED PATH
- FORESHORE AMPHITHEATER SEATING
- FLEXIBLE OPEN SPACES



TURNER / TURF MASTERPLAN

- OBSERVATION DECK
- WHARF CAFE
- THE GREEN
- BBQ FACILITIES
- BLEACHER SEATING IN GRASS
- COMMUNITY LAWN
- 3.5M WIDE SHARED PATH
- INTEGRATE WSUD
- DOG PLAY
- FORESHORE PLAZA
- FORESHORE WALK



CITY OF PARRAMATTA BRIEF


- CHILDREN'S PLAY EQUIPMENT (IMAGINATIVE, SENSORY, NATURAL, SKILL BASED)
- PICNIC / BBQ
- SEATING
- FITNESS EQUIPMENT
- CIRCUIT PATHWAY
- DOG OFF-LEASH
- OPEN GRASS AREA
- YOUTH RECREATION E.G. PING-PONG TABLES, MULTI-PURPOSE COURT
- AMENITIES BLOCK (1X DISABLED / 2X UNISEX TOILETS)
- PROVISION OF A MINIMUM OF 40% CANOPY COVER


PARKS FUNCTIONAL REQUIREMENTS


- | | |
|--|---|
| <ul style="list-style-type: none"> • OBSERVATION DECK/RIVER ROOM • WHARF CAFE • THE GREEN • BBQ FACILITIES • BLEACHER SEATING IN GRASS • 3.5M WIDE SHARED PATH • WSUD • DOG PLAY | <ul style="list-style-type: none"> • FORESHORE PLAZA • FITNESS EQUIPMENT • YOUTH RECREATION • AMENITIES BLOCK (1X DISABLED / 2X UNISEX TOILETS) • PROVISION OF A MINIMUM OF 40% CANOPY COVER |
|--|---|


SITE ANALYSIS - SITES LEVELS AND GRADING











A scenic view of a shoreline. In the foreground, a rocky bank made of large, light-colored stones meets a body of water. To the left, a gravel path leads through a line of trees, including a prominent white-barked tree. The background shows a distant shoreline with utility poles and a cloudy sky. The word "FORESHORE" is overlaid in a white box with black text.

FORESHORE



CONNECTING WITH THE RIVER



**CELEBRATING THE FORESHORE-
EMBRACING THE FORESHORE MATERIALITY**



FRAMING VIEWS




MASTERPLAN - EXISTING TREES OVERLAY






1.



2.



3.



4.

KEY:

- EUCALYPTUS
- PAPERBARK
- MANGROVE
- CASUARINA



ARBORIST REPORT - PRELIMINARY FINDINGS

APPENDIX 2

Tree schedule

NOTE: Colour annotation is AA & A trees with green background; Z & ZZ trees with blue background; trees recommended for removal.

| No. | Genus species | Height | Spread | DBH | TPZ | Foliage % | Age class | Defects/Comment | Location | Services | Significance | Erosion status | Tree AZ |
|-----|--------------------------------|--------|--------|-----|-----|-----------|-----------|-----------------|-----------------|----------|--------------|----------------|---------|
| 1 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | M | Nil | Garden | Nil | M | N/A | Z12 |
| 2 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | M | Nil | Garden | Nil | M | N/A | Z12 |
| 3 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | M | Nil | Garden | Nil | M | N/A | Z12 |
| 4 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | M | Nil | Garden | Nil | M | N/A | Z12 |
| 5 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | M | Nil | Garden | Nil | M | N/A | Z12 |
| 6 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | M | Nil | Garden | Nil | M | N/A | Z12 |
| 7 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 8 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 9 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 10 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 11 | <i>Casuarina glauca</i> | 8 | 3 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z12 |
| 12 | <i>Ficus rubiginosa</i> | 6 | 6 | 300 | 3.6 | 10% | O | Dieback | Grass | Nil | M | N/A | ZZ4 |
| 13 | <i>Melaleuca quinquenervia</i> | 9 | 9 | 400 | 4.8 | 80% | M | Co-dominant | Grass | Nil | M | N/A | A1 |
| 14 | <i>Avicennia marina</i> | 4 | 5 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 15 | <i>Melaleuca quinquenervia</i> | 9 | 8 | 350 | 4.2 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 16 | <i>Angophora costata</i> | 9 | 6 | 300 | 3.6 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 17 | <i>Angophora costata</i> | 9 | 6 | 300 | 3.6 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 18 | <i>Syzygium sp.</i> | 7 | 5 | 200 | 2.4 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 19 | <i>Melaleuca quinquenervia</i> | 7 | 5 | 300 | 3.6 | 60% | O | Dieback | Grass | Nil | M | Low | Z4 |
| 20 | <i>Avicennia marina</i> | 4 | 5 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 21 | <i>Melaleuca quinquenervia</i> | 8 | 7 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 22 | <i>Melaleuca quinquenervia</i> | 8 | 7 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 23 | <i>Avicennia marina</i> | 4 | 5 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 24 | <i>Melaleuca quinquenervia</i> | 7 | 5 | 300 | 3.6 | 70% | M | Nil | Grass | Nil | M | Moderate | Z9 |
| 25 | <i>Melaleuca linariifolia</i> | 7 | 6 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |



ARBORIST REPORT - PRELIMINARY FINDINGS

| No. | Genus species | Height | Spread | DBH | TPZ | Foliage % | Age class | Defects/Comment | Location | Services | Significance | Erosion status | Tree AZ |
|-----|---------------------------------|--------|--------|-----|-----|-----------|-----------|---------------------------|-----------------|----------|--------------|----------------|---------|
| 26 | <i>Casuarina glauca</i> | 10 | 6 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 27 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 28 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 29 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 30 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 31 | <i>Casuarina glauca</i> | 10 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 32 | <i>Melaleuca quinquenervia</i> | 8 | 5 | 300 | 3.6 | 40% | O | Dieback | Grass | Nil | M | Extreme | ZZ4 |
| 33 | <i>Melaleuca quinquenervia</i> | 8 | 7 | 450 | 5.4 | 70% | M | Nil | Grass | Nil | M | Moderate | Z12 |
| 34 | <i>Avicennia marina</i> | 5 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 35 | <i>Avicennia marina</i> | 5 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 36 | <i>Avicennia marina</i> | 5 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 37 | <i>Corymbia citriodora</i> | 8 | 3 | 200 | 2.4 | 80% | S | Nil | Grass | Nil | M | N/A | A1 |
| 38 | <i>Corymbia citriodora</i> | 9 | 4 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 39 | <i>Melaleuca quinquenervia</i> | 6 | 3 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | M | N/A | Z1 |
| 40 | <i>Melaleuca quinquenervia</i> | 6 | 3 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | M | N/A | Z1 |
| 41 | <i>Melaleuca quinquenervia</i> | 6 | 3 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | M | N/A | Z1 |
| 42 | <i>Melaleuca quinquenervia</i> | 6 | 3 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | M | N/A | Z1 |
| 43 | <i>Melaleuca quinquenervia</i> | 5 | 3 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 44 | <i>Eucalyptus robusta</i> | 10 | 8 | 400 | 4.8 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 45 | <i>Melaleuca quinquenervia</i> | 8 | 5 | 300 | 3.6 | 40% | O | Dieback | Grass | Nil | M | Extreme | ZZ4 |
| 46 | <i>Avicennia marina</i> | 5 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 47 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | S | Stand of approx. 25 trees | Garden | Nil | M | N/A | Z1 |
| 48 | <i>Brachychiton acerifolius</i> | 4 | 3 | 100 | 2.0 | 90% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 49 | <i>Brachychiton acerifolius</i> | 4 | 3 | 100 | 2.0 | 90% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 50 | <i>Brachychiton acerifolius</i> | 4 | 3 | 100 | 2.0 | 90% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 51 | <i>Brachychiton acerifolius</i> | 4 | 3 | 100 | 2.0 | 90% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 52 | <i>Pyrus calleryana</i> | 6 | 2 | 100 | 2.0 | 70% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 53 | <i>Pyrus calleryana</i> | 6 | 2 | 100 | 2.0 | 70% | S | Nil | Grass | Nil | L | N/A | Z1 |



ARBORIST REPORT - PRELIMINARY FINDINGS

| No. | Genus species | Height | Spread | DBH | TPZ | Foliage % | Age class | Defects/Comment | Location | Services | Significance | Erosion status | Tree AZ |
|-----|---------------------------------|--------|--------|-----|-----|-----------|-----------|---------------------------|-----------------|----------|--------------|----------------|---------|
| 54 | <i>Pyrus calleryana</i> | 6 | 2 | 100 | 2.0 | 70% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 55 | <i>Casuarina glauca</i> | 9 | 3 | 150 | 2.0 | 80% | S | Stand of approx. 9 trees | Garden | Nil | M | N/A | Z1 |
| 56 | <i>Melaleuca quinquenervia</i> | 10 | 9 | 500 | 6.0 | 80% | M | Nil | Grass | Nil | H | Extreme | Z9 |
| 57 | <i>Melaleuca quinquenervia</i> | 8 | 6 | 350 | 4.2 | 80% | M | Nil | Grass | Nil | M | Moderate | A1 |
| 58 | <i>Melaleuca quinquenervia</i> | 8 | 6 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | H | Low | A1 |
| 59 | <i>Melaleuca quinquenervia</i> | 6 | 5 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | Low | A1 |
| 60 | <i>Avicennia marina</i> | 6 | 6 | 200 | 2.4 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 61 | <i>Melaleuca quinquenervia</i> | 8 | 7 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | Low | A1 |
| 62 | <i>Melaleuca quinquenervia</i> | 6 | 6 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | Moderate | Z9 |
| 63 | <i>Melaleuca quinquenervia</i> | 4 | 3 | 50 | 2.0 | 80% | S | Nil | Grass | Nil | L | Extreme | ZZ5 |
| 64 | <i>Melaleuca quinquenervia</i> | 6 | 6 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | Moderate | Z9 |
| 65 | <i>Melaleuca quinquenervia</i> | 6 | 6 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | Moderate | Z9 |
| 66 | <i>Melaleuca quinquenervia</i> | 8 | 6 | 300 | 3.6 | 80% | M | Nil | Grass | Nil | M | Low | A1 |
| 67 | <i>Melaleuca linariifolia</i> | 4 | 3 | 100 | 2.0 | 50% | S | Dieback | Grass | Nil | L | N/A | ZZ4 |
| 68 | <i>Corymbia maculata</i> | 9 | 3 | 100 | 2.0 | 60% | S | Dieback | Grass | Nil | L | N/A | Z4 |
| 69 | <i>Melaleuca quinquenervia</i> | 9 | 8 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 70 | <i>Melaleuca quinquenervia</i> | 9 | 8 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 71 | <i>Melaleuca quinquenervia</i> | 9 | 8 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 72 | <i>Avicennia marina</i> | 4 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 73 | <i>Avicennia marina</i> | 4 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 74 | <i>Avicennia marina</i> | 4 | 3 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 75 | <i>Casuarina glauca</i> | 8 | 3 | 100 | 2.0 | 80% | S | Stand of approx. 25 trees | Garden | Nil | L | N/A | Z1 |
| 76 | <i>Melaleuca quinquenervia</i> | 5 | 3 | 150 | 2.0 | 70% | M | Nil | Garden | Nil | L | N/A | Z1 |
| 77 | <i>Melaleuca quinquenervia</i> | 5 | 3 | 150 | 2.0 | 70% | M | Nil | Garden | Nil | L | N/A | Z1 |
| 78 | <i>Melaleuca quinquenervia</i> | 5 | 3 | 80 | 2.0 | 70% | M | Nil | Garden | Nil | L | N/A | Z1 |
| 79 | <i>Melaleuca quinquenervia</i> | 3 | 2 | 60 | 2.0 | 70% | M | Nil | Garden | Nil | L | N/A | Z1 |
| 80 | <i>Casuarina cunninghamiana</i> | 10 | 9 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 81 | <i>Casuarina cunninghamiana</i> | 10 | 9 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |



ARBORIST REPORT - PRELIMINARY FINDINGS

| No. | Genus species | Height | Spread | DBH | TPZ | Foliage % | Age class | Defects/Comment | Location | Services | Significance | Erosion status | Tree AZ |
|-----|---------------------------------|--------|--------|-----|-----|-----------|-----------|---------------------------|-----------------|----------|--------------|----------------|---------|
| 82 | <i>Casuarina cunninghamiana</i> | 10 | 9 | 350 | 4.2 | 80% | M | Nil | Grass | Nil | M | Extreme | Z5 |
| 83 | <i>Casuarina cunninghamiana</i> | 8 | 6 | 350 | 4.2 | 0% | O | Nil | Grass | Nil | M | Moderate | ZZ4 |
| 84 | <i>Casuarina cunninghamiana</i> | 10 | 8 | 400 | 4.8 | 80% | M | Nil | Grass | Nil | M | Low | A1 |
| 85 | <i>Avicennia marina</i> | 5 | 6 | 150 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 86 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 87 | <i>Casuarina cunninghamiana</i> | 9 | 6 | 300 | 3.6 | 70% | M | Dieback | Grass | Nil | M | N/A | Z4 |
| 88 | <i>Casuarina cunninghamiana</i> | 9 | 7 | 350 | 4.2 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 89 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 90 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 91 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 92 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 93 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 94 | <i>Avicennia marina</i> | 5 | 4 | 150 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 95 | <i>Avicennia marina</i> | 5 | 4 | 150 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 96 | <i>Avicennia marina</i> | 5 | 4 | 150 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 97 | <i>Melaleuca quinquenervia</i> | 8 | 6 | 350 | 4.2 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 98 | <i>Melaleuca quinquenervia</i> | 8 | 6 | 350 | 4.2 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 99 | <i>Pittosporum undulatum</i> | 4 | 3 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 100 | <i>Melaleuca quinquenervia</i> | 6 | 3 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 101 | <i>Casuarina glauca</i> | 9 | 3 | 100 | 2.0 | 80% | S | Stand of approx. 40 trees | Garden | Nil | L | N/A | Z1 |
| 102 | <i>Avicennia marina</i> | 3 | 4 | 100 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 103 | <i>Aegiceras marina</i> | 5 | 5 | 150 | 2.0 | 80% | M | Nil | High tide level | Nil | L | N/A | A1 |
| 104 | <i>Casuarina cunninghamiana</i> | 8 | 5 | 250 | 3.0 | 80% | M | Nil | Grass | Nil | M | N/A | A1 |
| 105 | <i>Ficus rubiginosa</i> | 6 | 4 | 150 | 2.0 | 50% | S | Dieback | Grass | Nil | L | N/A | Z4 |
| 106 | <i>Melaleuca linariifolia</i> | 6 | 3 | 100 | 2.0 | 80% | M | Nil | Garden | Nil | L | N/A | Z1 |
| 107 | <i>Melaleuca styphelioides</i> | 5 | 3 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 108 | <i>Melaleuca styphelioides</i> | 3 | 3 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 109 | <i>Melaleuca styphelioides</i> | 3 | 3 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |



ARBORIST REPORT - PRELIMINARY FINDINGS


| No. | Genus species | Height | Spread | DBH | TPZ | Foliage % | Age class | Defects/Comment | Location | Services | Significance | Erosion status | Tree AZ |
|-----|--------------------------------|--------|--------|-----|-----|-----------|-----------|-----------------|----------|----------|--------------|----------------|---------|
| 110 | <i>Melaleuca styphelioides</i> | 3 | 3 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 111 | <i>Melaleuca styphelioides</i> | 3 | 3 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 112 | <i>Melaleuca styphelioides</i> | 3 | 3 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 113 | <i>Melaleuca quinquenervia</i> | 6 | 5 | 350 | 4.2 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 114 | <i>Melaleuca styphelioides</i> | 9 | 7 | 450 | 5.4 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 115 | <i>Melaleuca quinquenervia</i> | 8 | 6 | 300 | 3.6 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 116 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 117 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 118 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 119 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 120 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 121 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 122 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 123 | <i>Melaleuca quinquenervia</i> | 12 | 8 | 500 | 6.0 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 124 | <i>Melaleuca quinquenervia</i> | 12 | 8 | 500 | 6.0 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 125 | <i>Melaleuca quinquenervia</i> | 12 | 8 | 500 | 6.0 | 80% | M | Nil | Garden | Nil | M | N/A | A1 |
| 126 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 127 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 128 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 129 | <i>Melaleuca quinquenervia</i> | 6 | 2 | 60 | 2.0 | 80% | S | Nil | Grass | Nil | L | N/A | Z1 |
| 130 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 131 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 132 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 133 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 134 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 135 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 136 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 137 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 138 | <i>Melaleuca quinquenervia</i> | 7 | 2 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |



ARBORIST REPORT - PRELIMINARY FINDINGS

| No. | Genus species | Height | Spread | DBH | TPZ | Foliage % | Age class | Defects/Comment | Location | Services | Significance | Erosion status | Tree AZ |
|-----|--------------------------------|--------|--------|-----|-----|-----------|-----------|-----------------|----------|----------|--------------|----------------|---------|
| 139 | <i>Melaleuca quinquenervia</i> | 7 | 4 | 150 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 140 | <i>Melaleuca quinquenervia</i> | 12 | 10 | 600 | 7.2 | 80% | M | Co-dominant | Garden | Nil | H | N/A | A1 |
| 141 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 142 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 143 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 144 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 145 | <i>Melaleuca quinquenervia</i> | 8 | 3 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 146 | <i>Melaleuca quinquenervia</i> | 8 | 3 | 100 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 147 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 148 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 149 | <i>Melaleuca quinquenervia</i> | 3 | 2 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | ZZ1 |
| 150 | <i>Melaleuca quinquenervia</i> | 3 | 2 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | ZZ1 |
| 151 | <i>Melaleuca quinquenervia</i> | 3 | 2 | 50 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | ZZ1 |
| 152 | <i>Ficus rubiginosa</i> | 9 | 8 | 350 | 4.2 | 70% | M | Co-dominant | Garden | Nil | M | N/A | A1 |
| 153 | <i>Melaleuca styphelioides</i> | 5 | 5 | 150 | 2.0 | 80% | M | Nil | Grass | Nil | L | N/A | Z1 |
| 154 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |
| 155 | <i>Melaleuca quinquenervia</i> | 5 | 2 | 60 | 2.0 | 80% | S | Nil | Garden | Nil | L | N/A | Z1 |





**PARK
CONCEPT DESIGN**

PARK - CONCEPT DESIGN



PARK PROGRAM



































turf

SYDNEY

35 WELLINGTON ST
CHIPPENDALE NSW 008
P 02 8394 9990
ABN: 77 097 739 663

TURFDESIGN.COM